



code	inside diameter		outside diameter		working pressure		burst pressure		weight nominal		bending radius		length max	
	mm	inch	mm	inch	bar	psi	bar	psi	kg/m	lbs/ft	mm	inch	m	ft
1447432	6	17/72	14	0,55	20	300	60	900	0,17	0,12	60	2,4	100	328
1447440	7	8/29	16	0,63	20	300	60	900	0,22	0,15	60	2,4	100	328
1447459	8	5/16	17	0,67	20	300	60	900	0,24	0,16	65	2,6	100	328
1447467	10	25/64	19	0,75	20	300	60	900	0,28	0,19	80	3,2	100	328
1447475	13	1/2	23	0,91	20	300	60	900	0,39	0,26	105	4,1	60	200
1447483	16	5/8	26	1,02	20	300	60	900	0,45	0,31	130	5,1	60	200
1447491	19	3/4	30	1,18	20	300	60	900	0,58	0,39	150	5,9	60	200
1447505	25	1	37	1,46	20	300	60	900	0,77	0,52	200	7,9	40	131



EN

## Extruded hose for air and water

**Application:** designed for compressed air, to convey water and non-aggressive fluids in various industrial and agricultural applications.

**Temperature:** from -25 °C (-13 °F) to +80 °C (+176 °F).

**Construction**

**Tube:** black, seamless synthetic rubber compound.

**Reinforcement:** high strength synthetic fabrics.

**Cover:** black, abrasion, ageing, ozone and weather-resistant, seamless synthetic rubber compound.

**Branding:** IVG RUBBER HOSE AIR- WATER 20 BAR W.P. SIZE - BATCH NUMBER.

CN

## 通用型空气/水管

**应用范围:** 挤出型胶管，广泛应用于各种工业农业领域，用于输送压缩空气，水和非腐蚀性流体。耐磨性和耐候性

**温度范围:** -25° C (-13° F) 到 +80° C (+176° F)

**软管结构**

**内层:** 黑色，无缝合成橡胶

**加强层:** 高强度合成纤维

**外层:** 黑色，无缝合成橡胶，耐磨，耐老化，耐臭氧，耐气候

**商标:** IVG RUBBER HOSE AIR - WATER 20 BAR W.P. 尺寸- 批次号

## SAFETY INFORMATION – USER RESPONSIBILITIES

The service life of rubber hoses mainly depends on the dedicated use. Equipment and systems where the hose is installed must be designed safely. Since our hose can be designed for different applications, IVG Colbachini SpA cannot guarantee the proper functioning of the product for all situations. The analysis of the technical aspects related to specific uses must be performed by the users when choosing the product that meets their requirements. So, in relation to the variety of operating conditions and applications of the IVG hose, the user is solely responsible for the final choice of the product deemed suitable to satisfy the performance and safety requirements called for the application.

The information and technical data shown in the product data sheets must be examined by users with appropriate technical skills.

IVG Colbachini is not responsible for other uses, identified by the end user, that are different from the one shown in its catalogues, product sheets, offers, order confirmations and any recommendations attached.

An inappropriate choice of the product or a failure to follow the procedures of installation, use, maintenance and storage of the hoses may lead to a hose break and cause material damage and/or serious injury to people.

For the selection and proper use of the IVG products you can also refer to the document "Recommendations for selection, storage, use and maintenance of rubber hoses" provided by Assogomma and available on [www.ivgspa.it](http://www.ivgspa.it).

These recommendations are according to the international standard ISO 8331, "Plastic and rubber hoses and hose assemblies - Guidelines for selection, storage, use and maintenance."

**For safety reasons, never exceed the working pressure indicated in the product data sheet.**

For specific applications of rubber hoses, please refer to the legal requirements or specific standards; moreover additional recommendations for particularly critical applications are available.

For further information, contact the Marketing department ([marketing@ivgspa.it](mailto:marketing@ivgspa.it)).