


Hototal blue

Extruded hose for hot water



Specifications:

Tube phthalates free (REACH Reg.). Tube FDA tit.21 art.177.2600 aqueous foods.

Application:

hot water delivery hose, suitable to dishwashing machine and hot water in processing plant. Not suitable for conveying food.

Extruded hose
Ideal for dishwashers
Long lifespan



Tube:

black, seamless, food quality EPDM rubber compound.

Reinforcement:

high strength synthetic fabrics.

Cover:

blue, seamless EPDM rubber compound, resistant to weathering and ozone.

Temperature:

from -30°C (-22°F) to +110°C (+230°F).

Branding:

IVG HOTOTAL/BLUE 10 bar 110 °C SIZE - INDUSTRIAL DISHWASHERS - BATCH NUMBER.



Hototal blue



Code	Inside diameter		Outside diameter		Working pressure		Burst pressure		Weight nominal		Bending radius		Length max	
	mm	inch	mm	inch	bar	psi	bar	psi	kg/m	lbs/ft	mm	inch	m	ft
1446606	5	12/61	12	0,47	10	150	40	600	0,12	0,09	40	1,6	100	328
1458337	10	25/64	17	0,67	10	150	40	600	0,19	0,14	65	2,6	100	328
1446614	11	13/30	18	0,71	10	150	40	600	0,2	0,15	70	2,8	100	328
1446622	11	13/30	19	0,75	10	150	40	600	0,24	0,18	80	3,2	60	200
1446630	13	1/2	20	0,79	10	150	40	600	0,23	0,17	90	3,5	60	200
1447130	19	3/4	28	1,10	10	150	30	450	0,42	0,32	130	5,1	60	200

